## Planning Commission Issues Matrix

Issue	Discussion Notes	Issue Status
1. Massing studies needed? (Shefrin)	Staff comments Massing studies were not requested or conducted as part of these policy amendments because the amendments do not change allowed height or setback regulations.	Opened 1-12-2022
What effect will this have on parking standards and requirements in TWNC? (Aparna)	Staff comments These amendments do not affect parking standards in TWNC. Applicants can seek parking reductions through existing regulations. Regulations arising from the periodic review of the Comprehensive Plan (Redmond 2050) will address parking standards in urban centers and near transit. Draft policy language is included in the first draft Transportation Element published at <a href="Redmond.gov/Redmond2050">Redmond2050</a> .  Under regulations recommended by the Planning Commission November 10, 2021, additional height is allowed for structures with office uses if sufficient subterranean parking is not feasible and exceptional amenities are provided.	Opened 1-26-2022
What effect does this proposal have on height limits? (Aparna, Captain)	Staff comments The proposed policy amendments do not change the height limits or the ability to exceed height limits under certain circumstances. Rather, they change the policy to allow additional height when accompanied by "project components that advance business diversity, housing, or environmental sustainability goals.  The height incentives are defined in the amendments to RZC 21.10.050, recommended by the Planning Commission Nov 10, 2021 - RZC 21.10.050, Town Center (TWNC) Zone (redmond.gov).  The zoning code amendments recommended in November 2021, if approved, would increase the maximum height limit, with incentives, to 12 stories (from 8).	Opened 1-26-2022

## Planning Commission Issues Matrix

Issue	Discussion Notes	Issue Status
Sheltered plazas requirements/standards (Aparna)	Staff comments The proposed policy amendments do not change any zoning or design standards in TWNC Zone.	Opened 1-26-2022
	RZC 21.10.150.E describes permitted encroachments over the pedestrian system in downtown, including TWNC, and allows for some shelter.	
	Figure 21.10.150E  Buildings, marquees, and roof projections may extend over pedestrian systems when the encroachment is integrated into the pedestrian system by providing a covered walkway, plaza, or it otherwise complements pedestrian activities.	
	RZC 21.62.020, Downtown Design Standards provide design standards for downtown including TWNC Zone. Applicable code related to plazas and pedestrian areas include:	
	RZC 21.62.020.I2biiG., Plazas/Pedestrian Malls Plazas, pedestrian malls, and other amenity open spaces shall be developed to promote outdoor activity and encourage pedestrian circulation between the Town Center zone and the balance of the Downtown.	

Town Center Zone (TWNC) Comprehensive Plan Amendment | 2022 Docket LAND-2021-00266, SEPA-2021-00328

## Planning Commission Issues Matrix

Issue	Discussion Notes	Issue Status
How does this proposal help in changing the Redmond Town Center from an autocentric suburban shopping	The proposed policy amendments eliminate the requirement for development in the Town Center Zone to comply with the 1995 Town Center Master Plan, which envisioned a more suburban-type shopping center.	Opened 1-26-2022
center to urban focused? (Aparna)	Going forward, it is up to the property owners to develop proposals and uses that comply with current zoning regulations.	